



ACTIVE COLD BOX



Quality, Management, Environment, Health & Safety Standards













CDSCO Certified

USFDA Listed

European CE

ISO 13485:

ISO 9001: IAF

7 Electric Safety Certifications



INTRODUCTION

The Marken Active Cold Box is a state-of-the-art solution tailored to meet the stringent requirements of temperature-sensitive shipments, particularly vital in the pharmaceutical and life sciences sectors. Its innovative design encompasses several comprehensive features that prioritize precision, efficiency, and mobility, ensuring the safe and reliable transport of critical materials.

KEY FEATURES


EXTENDED TEMPERATURE RETENTION

aî Î-aj	Advanced Temperature Control and Secure Storage: The temperature can be adjusted between -20°C and +10°C with high precision, thanks to a microprocessor-based controller, and displayed with an accuracy of 1°C.
((<u></u>))	Alarm System: Includes a low battery warning for safety.
	User-Centric Design: The push handle makes door operation smooth and effortless.
	Energy Efficiency and Environmental Consideration: Equipped with R600a refrigerant and a DC compressor for reduced energy consumption.
	Battery Protection Mechanism: Incorporates an automatic cut-off feature to avoid deep battery discharge, preserving battery health.
	Accurate Temperature Regulation: Ensures precise temperature control for reliable performance.
	Dual Compartments: Comes with a partition for organized storage.
3	Energy-Saving Design: Optimized for efficient energy use.
	Mobility: Features wheels for easy movement.
	Dual Power Functionality (Optional): Designed to run on both 12/24V battery power or a 220V AC supply, with an auto-switching feature for seamless power transitions.




AREAS OF APPLICATION

It is suitable for vaccine transportation, food sample collection for law enforcement, blood banks, health and epidemic prevention systems, academic institutions, the electronics industry, chemical industry, bioengineering, university laboratories, military enterprises, and more.




Designed to run both 12/24 battery power or 220 v AC supply

DUAL TEMPERATURE AND DUAL DISPLAY











USER FRIENDLY DEVICE

- The freezer body is constructed from high-quality materials, featuring compact design that allows it to be placed directly on an experiment table, making it convenient for storing samples.
- It is easy to operate and equipped with lifting handles on the body for convenient mobility.



SMART TEMPERATURE CONTROL

- It features a high-definition digital display with an accuracy of 1°C.The internal temperature can be adjusted from +20°C to -20°C.
- The system is user-friendly with an intuitive interface and clearoperation status.



REFRIGERATION SYSTEM

- It utilizes an advanced refrigeration system that ensures rapid cooling while being energy efficient.
- Its compact size makes it easy to transport, and it can operate using a DC 12V/24V vehicle power supply.



ALARMS

- Includes a low battery alarm.
- Optional alarms: Door ajar, high temperature, and low temperature alarms available.



TECHNICAL SPECIFICATION		
Make	MarkEn	
Temperature Range	-20° C To +10° C	
Microprocessor Controller	Yes	
Temperature Display	Digital Display	
Individual Temperature Set	Yes	
Hold Over Time	4 to 6 Hr	
Refrigerant Type	R600A	
Battery Backup	Provides 6 to 8 hours of operation.	
Interior Lighting	Yes, for better visibility.	
Removable Partition	Yes	
Data Logger (OPTIONAL)	Yes, for flexible storage options.	
Storage Chamber	Convertible Dual Chamber	
Handle & Wheels	Included for easy transport.	
Battery	Comes with the unit.	
Charge	Included in the package.	
Alarms	Battery low alarm	
Power Supply AC (220V to 240V) and DC (12V/24V)		
CAPACITY		
8L		
18L 22L		
55L		
80L		
As per customer requirement		



CERTIFICATIONS

Quality, Management, Environment, Health & Safety Standards





USFDA Listed



8 products tested by a WHO-accredited laboratory



European CE



NABCB: ISO 13485



ISO 9001: IAF



ISO 14001: IAF



ISO 45001: IAF



7 Electric Safety Certifications



WHO GMP



BIFMA Certified, BIFMA Level 3



ASTM- Corrosion Free Products



ISO 2409



& many other...



ALL-IN-ONE SOLUTION FOR

Cold Chain Solution Medical Equipment **Blood Bank Equipment** Hospital & Scientific Equipment Hospital Furniture & Infrastructure Commercial Refrigeration



Years of Excellence



Product Range



500+ Service center



Committed Engineers



1,00,000+

Satisfied Users

OUR ESTEEMED CUSTOMERS

























































& MANY MORE..



- Regd office & Factory: 93/1, MIDC Satpur, Nashik- 422007 (IND)
- Corporate office: 410, Maker Chambers V, Nariman Point, Mumbai 400021
- New Delhi office DLF Tower, Jasola | Chandigarh Office CCC, VIP Road
- Customer Care No.+91 91 3030 5959
- ⊕ www.markenworld.com ⋈ info@markenworld.com



Authorized Distributor Details