



REMOTE TEMPERATURE MONITORING DEVICE



Quality, Management, Environment, Health & Safety Standards













CDSCO Certified

USFDA Listed

European CE

ISO 13485: NABCB/IAF ISO 9001: IAF

7 Electric Safety Certifications



INTRODUCTION

Advanced Digital Monitoring for Walk-In Coolers

MarkEn's Programmable Remote Temperature and Event Monitoring System (PRTEMS) is an India-manufactured solution, rigorously tested to meet WHO-PQS norms (E006/TR03-VP.2) from a WHO-PQS certified lab. Designed for precise temperature monitoring and event logging, it ensures optimal conditions for medical storage, food preservation, and temperature-sensitive materials.

KEY FEATURES

CUTTING-EDGE FEATURES



Operating Temperature Range: -10°C to +43°C

ACCURACY: ±0.5°C WITH A RESOLUTION OF ±0.1°C



Digital Temperature Indicators: Two display cum controllers mounted on the Walk-In Chamber (WIC) wall, each with an independent sensor for its refrigeration unit.

REAL-TIME DATA LOGGING & IOT-BASED CONTROL:

OC

8/16-Channel Data Logger enables real-time online temperature monitoring for users and contractors.

<u></u>


djustable Logging Intervals between 1 to 10 minutes for customizable data tracking.



IoT-Enabled System with Wi-Fi, USB, and Wi-Fi dongle connectivity for remote access.


COMPREHENSIVE RECORDING & BACKUP SYSTEMS:





Seven-day recording on graphic chart paper with a permanent ink marker.

BACKUP GAS OR VAPOR PRESSURE DIAL THERMOMETER:





Compliant with PQS E006/TH02 standards.



OPTIONAL TEMPERATURE CHART RECORDER:

*	Temperature Range: 0°C to +50°C
	6-inch LED/Digital Display
	Resolution: 0.1°C
● REC	24/7 Continuous Recording
78	Battery Backup System

ADVANCED AUDIO-VISUAL ALARM SYSTEM:

	Reliable Alerts for Critical Situations
	MarkEn PRTEMS is equipped with a mains-operated audible & visible loud alarm system with battery backup and automatic recharge.
!	It ensures immediate alerts in case of power failure or temperature deviations beyond set limits.


PROGRAMMABLE ELECTRONIC ALARM SYSTEM:

	Compliant with WHO/PQS/E006/TR03 standards, ensuring accurate temperature maintenance and instant alerts in case of fluctuations.
**	Acoustic alarm system meets WHO/PQS/E06/AL01-01 or E006/TR03 specifications.
	Buzzer Alarm System (Two-Hour Battery Backup)

PROVIDES VISUAL & HOOTER/BUZZER ALERTS FOR:

	Low or High Temperature Deviations
(©)	Power Failure
	High-Pressure Dirty Condenser
<u>^</u>	Open Door Alert
	Probe Failure





CAPACITY Type : 16 Channel Type : 8 Channel As per customer requirement

CERTIFICATIONS

Quality, Management, Environment, Health & Safety Standards





USFDA Listed



8 products tested by a WHO-accredited laboratory



European CE



NABCB: ISO 13485



ISO 9001: IAF



ISO 14001: IAF



ISO 45001: IAF



7 Electric Safety Certifications



WHO GMP



BIFMA Certified, BIFMA Level 3



ASTM- Corrosion Free Products



ISO 2409



& many other...



ALL-IN-ONE SOLUTION FOR

Cold Chain Solution Medical Equipment **Blood Bank Equipment** Hospital & Scientific Equipment Hospital Furniture & Infrastructure Commercial Refrigeration



Years of Excellence



Product Range



500+ Service center



Committed Engineers



1,00,000+

Satisfied Users

OUR ESTEEMED CUSTOMERS

























































& MANY MORE..



- Regd office & Factory: 93/1, MIDC Satpur, Nashik- 422007 (IND)
- Corporate office: 410, Maker Chambers V, Nariman Point, Mumbai 400021
- New Delhi office DLF Tower, Jasola | Chandigarh Office CCC, VIP Road
- Customer Care No.+91 91 3030 5959
- ⊕ www.markenworld.com ⋈ info@markenworld.com



Authorized Distributor Details